

Instruction for use

Dermatix® Silicone gel for scar reduction

What is Dermatix gel?

Dermatix is a topical silicone gel that is transparent, dries quickly and helps maintain the skin's moisture balance, while aiding the management of scarred skin surfaces resulting from surgery, burns, and other injuries.

Dermatix has been shown to flatten, soften and smooth scars, relieve the itching and discomfort of scars as well as reduce the discoloration associated with scars.

Dermatix gel is easily applied to all areas of the skin, including the face, joints and flexures, and dries rapidly to form an invisible "sheet".

Dermatix was developed using the same basic long chain polymers as topical silicone gel sheeting, but it is available in a tube. It contains polysiloxane.

The gel is available in a tube of 15g.*

What is Dermatix gel used for?

Dermatix is used for the reduction and prevention of keloids and hypertrophic scars (such as those resulting from general surgical procedures, trauma wounds and burns), after the wound has healed and the skin surface is intact.

How should Dermatix gel be used?

Wash the affected area and pat dry. Gently massage a small amount of Dermatix into the scar. If you apply too much gently wipe away any excess with a tissue in order to avoid staining of clothing. Apply twice daily in the morning and evening.

Once dry, Dermatix may be covered with cosmetic blush.

Dermatix can also be used on children.

When should Dermatix gel not be used?

- Dermatix should not be applied to open or fresh wounds.
- Dermatix should not be placed in contact with mucous membranes, or applied too close to the eyes.
- Dermatix should not be applied over antibiotic skin preparations or other skin treatments and/or products.
- Dermatix should be applied to clean, dry skin only.

Are there any possible unwanted effects of Dermatix gel?

Rarely, the gel may cause redness, pain or irritation to the skin. If you are concerned about these or any other unwanted effects, consult your pharmacist or doctor.

How should Dermatix be stored?

- Keep out of the reach of children.
- Keep gel away from the heat.
- Store below 25°C.
- Do not use after the expiry date (EXP) printed on the pack.

Further information.

You can get more information about Dermatix from your pharmacist or doctor.

* Not all countries supply all presentations.



Hanson Medical, Inc., Kingston, WA 98346, USA



MEDA Pharmaceuticals Ltd., Takeley, Bishop's Stortford, CM22 6PU, UK

Distributor:

MEDA Pharma South Africa (Pty) Ltd, Sandton City Office Tower,
16th Floor, Sandton City, Cnr. Rivonia and 5th Street,
Sandton, 2196, South Africa



OS130A
56ZA1958115-00

MEDA

Gebruiksaanwysing
Dermatix®
Silikonjell vir littekenvermindering
Wat is Dermatix jell?

Dermatix is 'n deursigtige, topikale silikonjell wat vinnig droog word. Dit help om die vel se vogbalans te handhaaf en ondersteun terselfdertyd die beheer van littekens op veloppervlaktes wat voorkom as gevolg van chirurgie, brandwonde en ander beserings.

Dermatix het die volgende resultate getoon: afplating, versagting en gladder voorkoms van littekens, dit verlig die jeuk en ongemak van littekens en dit verminder ook die verkleuring wat met littekens geassosieer word.

Dermatix kan maklik aan alle oppervlaktes van die vel, insluitend die gesig, gewigte en buigings, aangewend word, en dit word vinnig droog om 'n onsigbare "laag" te vorm.

Dermatix was ontwikkel van dieselfde basiese langketting polimere as topikale silikonjellplate, maar is in 'n buis beskikbaar. Dit bevat polisiloksaan.

Die jell is beskikbaar in 'n buisie van 15g.

Waarvoor word Dermatix jell gebruik?

Dermatix word gebruik vir die vermindering en voorkoming van keloïede en hipertrofiese littekens (soos die wat voor kom as gevolg van algemene chirurgiese prosedures, traumawonde en brandwonde) nadat die wond genees het en die veloppervlak geslote is.

Hoe moet Dermatix jell gebruik word?

Was die aangetaste area en druk liggies droog. Masseer 'n klein hoeveelheid Dermatix aan die litteken. Indien u te veel aangewend het, vee die oortollige jell af met 'n sneesdoekie om vlekke op klere te vermy. Wend twee keer per dag, in die oggend en die aand aan. Grimering kan aangewend word sodra Dermatix droog is.

Dermatix kan ook vir kinders gebruik word.

Wanneer behoort Dermatix nie gebruik te word nie?

- Dermatix behoort nie aan oop of vars wonde aangewend te word nie
- Dermatix behoort nie in aanraking met slymvliese te kom nie, of te naby aan die oë aangewend word nie
- Dermatix behoort nie bo-oor antibiotiese velpreparate of ander velbehandelings en/of produkte aangewend te word nie.
- Dermatix behoort slegs aan skoon, droë vel aangewend te word.

Is daar enige moontlike ongewenste nuwe effekte van Dermatix jell?

In seldsame gevalle mag die jell rooiheid, pyn of irritasie van die vel veroorsaak. Indien u bekommerd is oor hierdie of enige ander ongewenste nuwe effekte, raadpleeg u apteker of dokter.

Hoe behoort Dermatix bewaar te word?

- Hou buite die bereik van kinders
- Hou die jell weg van hitte
- Bewaar benede 25 °C
- Moenie gebruik na die vervaldatum (EXP) wat op die verpakking aangedui is nie.

Verdere inligting.

Vir meer inligting rakende Dermatix, raadpleeg u apteker of dokter.



Hanson Medical, Inc., Kingston, WA 98346, USA



MEDA Pharmaceuticals Ltd., Takeley, Bishop's Stortford, CM22 6PU, UK

Verspreider in Suid-Afrika:

MEDA Pharma Suid-Afrika (Edms.) Bpk., Sandton City Office Tower,
16^{de} Vloer, Sandton City, H/V Rivonia Weg en 5^{de} Straat,
Sandton, 2196, Suid-Afrika



OS130A
56ZA1958115-00

MEDA